



ELECTRICAL NOTES:

1. OUR MOTORIZED SYSTEM INCLUDES: THE ACTUATOR, 3-POSITION SWITCH, CONTROL PANEL AND CLEARLINE ATTACHMENT AT THE WINDOW. IT DOES NOT INCLUDE: ANY INSTALLATION, FIELD WIRING, SWITCH BOXES, ELECTRICAL CONDUITS, OR JUNCTION BOXES NECESSARY TO COMPLY WITH ELECTRICAL CODES FOR 120V AND LOW VOLTAGE WIRING REQUIREMENTS. NOTE: PROVISIONS FOR PROPER FIELD WIRING MUST BE COORDINATED WITH ELECTRICAL CONTRACTOR.
2. THIS MOTORIZED SYSTEM AS SUPPLIED CANNOT BE CONTROLLED BY THERMOSTAT OR AUTOMATIC MODE.
3. KEY SWITCH (ITEM 2) AND CONTROL PANEL (ITEM 3) CAN BE PLACED AT ANY LOCATION WITHIN 100 FT.
4. REFER TO WIRING DIAGRAM ED-843 : (3) ACTUATORS CONTROLLED BY (1) CONTROL PANEL (ITEM 2) AND (1) KEY SWITCH (ITEM 2).
5. CONTROL PANEL TO BE INSTALLED IN COMPLIANCE WITH NFPA 70 AND LOCAL CODES.

GENERAL NOTES :

1. THESE CONTROLS WILL OPEN VENT 13-1/2".
2. * DENOTES ITEMS SUPPLIED WITH ACTUATOR.
3. ALL ELEVATIONS ARE VIEWED FROM THE INSIDE.
4. VENTS MUST MOVE FREELY - FINGER-TIP OPERATION. FOR EASE OF OPERATION, HINGES SHOULD BE ZERO FRICTION & SUPPLIED WITH LOOSE "RIVETS".
5. WARNING : KEEP HANDS/CHILDREN AWAY WHILE OPERATING WINDOWS.

COLOR = BLACK

15	10-24	PAN HEAD MACHINE SCREW X 5/16	
14	2203B	EXTENSION PLATE	
13	2319	QC TERMINAL	
12	2185	PEN SCREW DRIVER	
11	2130	SET-UP SWITCH	
10	2089	ATTACHMENT RELEASE TOOL	
9	#10	SELF-TAPPING SCREW X 3/8	
8	2204-48BK	SCREEN CLOSURE	
7	8-32	PAN HEAD MACHINE SCREW X 5/8	
6	10-24	NUT	
5	8-32	PAN HEAD MACHINE SCREW X 3/4	
4	10-24	FLAT HEAD MACHINE SCREW X 5/8	
3	2320-1.14	CONTROL PANEL	
2	1754	KEY SWITCH	
1	2081-IX -BK	I-NEX ACTUATOR	

ITEM PART NO. DESCRIPTION QTY.

PROJECT: I-NEX SAMPLE

CUSTOMER
ORDER NO.
ARCHITECT
WINDOW MFR. GRAHAM 6700

CLEARLINE INCORPORATED
WINDOW CONTROL SYSTEMS
P.O. BOX 1368
NORTH WALES, PENNSYLVANIA 19454

SCALE: AS NOTED CLEARLINE JOB NO. SHEET NO. 1 OF 1